



SOLAR RATING & CERTIFICATION CORPORATION

CERTIFIED SOLAR COLLECTOR

SUPPLIER:
Jiangsu Micoe Solar Energy Co., Ltd.
 No. 199, Yingzhou Road
 Lianyungang City, JIANGSU PROVINCE 222000
 China
 www.en.micoe.com

In Accordance with:
SRCC Standard 100-2008-02

BRAND: Micoe
 MODEL: SMG100-10
 COLLECTOR TYPE: Tubular
 CERTIFICATION #: 2010082B
 Original Certification: January 20, 2011
 Expiration Date: July 06, 2022

The solar collector listed below has been evaluated by the Solar Rating & Certification Corporation™ (SRCC™), an ISO/IEC 17065 accredited and EPA recognized Certification Body, in accordance with SRCC OG-100, Operating Guidelines and Minimum Standards for Certifying Solar Collectors, and has been certified by the SRCC. This award of certification is subject to all terms and conditions of the Program Agreement and the documents incorporated therein by reference. This document must be reproduced in its entirety.

COLLECTOR THERMAL PERFORMANCE RATING							
Kilowatt-hours (thermal) Per Panel Per Day				Thousands of Btu Per Panel Per Day			
Climate ->	High Radiation (6.3 kWh/m ² .day)	Medium Radiation (4.7 kWh/m ² .day)	Low Radiation (3.1 kWh/m ² .day)	Climate ->	High Radiation (2000 Btu/ft ² .day)	Medium Radiation (1500 Btu/ft ² .day)	Low Radiation (1000 Btu/ft ² .day)
Category (Ti-Ta)				Category (Ti-Ta)			
A (-5 °C)	7.7	5.8	3.9	A (-9 °F)	26.4	19.9	13.4
B (5 °C)	7.5	5.6	3.7	B (9 °F)	25.5	19.0	12.5
C (20 °C)	7.0	5.1	3.2	C (36 °F)	24.0	17.5	11.0
D (50 °C)	6.1	4.3	2.4	D (90 °F)	20.9	14.5	8.1
E (80 °C)	5.2	3.3	1.5	E (144 °F)	17.7	11.3	5.3

A- Pool Heating (Warm Climate) B- Pool Heating (Cool Climate) C- Water Heating (Warm Climate)
 D- Space & Water Heating (Cool Climate) E- Commercial Hot Water & Cooling

COLLECTOR SPECIFICATIONS					
Gross Area:	2.765 m ²	29.76 ft ²	Dry Weight:	60.0 kg	132.3 lb
Net Aperture Area:	1.824 m ²	19.63 ft ²	Fluid Capacity:	1.2 liter	0.3 gal
Absorber Area:	1.818 m ²	19.57 ft ²	Test Pressure:	900 kPa	131 psi

TECHNICAL INFORMATION			Tested in accordance with:		
ISO Efficiency Equation [NOTE: Based on gross area and (P)=Ti-Ta]					
SI UNITS:	$\eta = 0.453 - 0.87870(P/G) - 0.00281(P^2/G)$	Y Intercept:	0.455	Slope:	-1.073 W/m ² .°C
IP UNITS:	$\eta = 0.453 - 0.15486(P/G) - 0.00027(P^2/G)$	Y Intercept:	0.455	Slope:	-0.189 Btu/hr.ft ² .°F

Transverse Incident Angle Modifier								Longitudinal Incident Angle Modifier at 50°:		
θ	10	20	30	40	50	60	70	Test Fluid:	Water	
K_{τα}	1.00	1.00	1.00	1.00	0.99	0.98	0.97	Test Mass Flow Rate:	0.0200 kg/(s m ²)	14.75 lb/(hr ft ²)

REMARKS:

Shawn Martin

Technical Director

Print Date: May, 2017 Page 1 of 4
 Please verify certification is active on the SRCC website.
 © Solar Rating & Certification Corporation™



CERTIFIED SOLAR COLLECTOR



SOLAR RATING
& CERTIFICATION
CORPORATION™

SUPPLIER:
Jiangsu Micoe Solar Energy Co., Ltd.
No. 199, Yingzhou Road
Lianyungang City, JIANGSU PROVINCE
222000 China
www.en.micoe.com

In Accordance with:
SRCC Standard 100-2008-02

BRAND: Micoe
MODEL: SMG100-10
COLLECTOR TYPE: Tubular
CERTIFICATION #: 2010082B
Original Certification: January 20, 2011
Expiration Date: July 06, 2022

The solar collector listed below has been evaluated by the Solar Rating & Certification Corporation™ (SRCC™), an ISO/IEC 17065 accredited and EPA recognized Certification Body, in accordance with SRCC OG-100, Operating Guidelines and Minimum Standards for Certifying Solar Collectors, and has been certified by the SRCC. This award of certification is subject to all terms and conditions of the Program Agreement and the documents incorporated therein by reference. This document must be reproduced in its entirety.

ADDITIONAL INFORMATION (click here to return to the rating page)			
Test Lab:	Forschungs- und Testzentrum für Solaranlagen (TZS) am Institut für Thermodynamik und Wärmetechnik (ITW) der Universität Stuttgart	Test Date:	July 06, 2010
Test Report Number:		Test Location:	

SOLAR COLLECTOR CONSTRUCTION DETAILS					
Header Enclosure:					
Gross Length:	2.203 m	Gross Width:	1.255 m	Gross Depth:	
Tube Bank:					
Gross Length:		Gross Width:			

COLLECTOR MATERIALS					
Outer Cover:	Glass Tube	Enclosure back:	Aluminum	Back Insulation:	,
Inner Cover:	None	Enclosure side:	Aluminum	Side Insulation:	,
Absorber Description:		Flow Pattern:			
Riser Tube:	Copper	Fin:			
Absorber Coating:	Selective	Tube to fin connection			

GLAZING	Outer Cover	Inner Cover
Material:	Glass Tube	None
Surface Characteristics:		
Thickness:	2.5 mm	N/A
Transmissivity:		
Gross Tube Length (uninstalled):	1.920 m	
Diameter:	0.095 m	
Tube Glazing to Header Enclosure Seal:		



Print Date: May, 2017 Page 2 of 4
Please verify certification is active on the SRCC website.
© Solar Rating & Certification Corporation™

CERTIFIED SOLAR COLLECTOR



SOLAR RATING
& CERTIFICATION
CORPORATION™

SUPPLIER:
Jiangsu Micoe Solar Energy Co., Ltd.
No. 199, Yingzhou Road
Lianyungang City, JIANGSU PROVINCE
222000 China
www.en.micoe.com

In Accordance with:
SRCC Standard 100-2008-02

BRAND: Micoe
MODEL: SMG100-10
COLLECTOR TYPE: Tubular
CERTIFICATION #: 2010082B
Original Certification: January 20, 2011
Expiration Date: July 06, 2022

The solar collector listed below has been evaluated by the Solar Rating & Certification Corporation™ (SRCC™), an ISO/IEC 17065 accredited and EPA recognized Certification Body, in accordance with SRCC OG-100, Operating Guidelines and Minimum Standards for Certifying Solar Collectors, and has been certified by the SRCC. This award of certification is subject to all terms and conditions of the Program Agreement and the documents incorporated therein by reference. This document must be reproduced in its entirety.

Reflector Shape:		Reflector Material:	
-------------------------	--	----------------------------	--

ABSORBER					
Header Material:		Header OD:		Header Wall:	
Riser Tube Material:	Copper	Riser Tube OD:		Riser Tube Wall Thickness:	
Fin Material:		Fin Thickness:	0.13 mm		
Flow Pattern:		Number of Flow Tubes / Heat Pipes:	10	Tube / Heat Pipe Spacing:	
Number of absorber tubes:	10	Flow Tube to Fin Bond:		Length of Flow Path:	1.96 m
Length of Flow Path:	1.96 m	Riser to Fin/Plate Bond:			

INSULATION:					
Location	Type	Thickness	Location	Type	Thickness
Back – Top Layer:			Sides – Inner Layer:		
Back – Bottom Layer:			Sides – Outer Layer:		
Enclosure Fastening Methods:			Header Enclosure:		

Power Output per Collector(W) [Ti-Ta, G = 1000 W/m²]				
0	10	30	50	70



Print Date: May, 2017 Page 3 of 4
Please verify certification is active on the SRCC website.
© Solar Rating & Certification Corporation™

CERTIFIED SOLAR COLLECTOR



SOLAR RATING
& CERTIFICATION
CORPORATION

SUPPLIER:
Jiangsu Micoe Solar Energy Co., Ltd.
No. 199, Yingzhou Road
Lianyungang City, JIANGSU PROVINCE
222000 China
www.en.micoe.com

In Accordance with:
SRCC Standard 100-2008-02

BRAND: Micoe
MODEL: SMG100-10
COLLECTOR TYPE: Tubular
CERTIFICATION #: 2010082B
Original Certification: January 20, 2011
Expiration Date: July 06, 2022

The solar collector listed below has been evaluated by the Solar Rating & Certification Corporation™ (SRCC™), an ISO/IEC 17065 accredited and EPA recognized Certification Body, in accordance with SRCC OG-100, Operating Guidelines and Minimum Standards for Certifying Solar Collectors, and has been certified by the SRCC. This award of certification is subject to all terms and conditions of the Program Agreement and the documents incorporated therein by reference. This document must be reproduced in its entirety.

PRESSURE DROP				
Flow	ΔP		Flow	ΔP
m/s	Pa		gpm	in H ₂ O
20			0.32	
50			0.79	
80			1.27	



Print Date: May, 2017 Page 4 of 4
Please verify certification is active on the SRCC website.
© Solar Rating & Certification Corporation™